

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

occurrence of the Carolina Wren for two consecutive seasons at Lake Forest, Lake County, in the extreme northeast corner of the state; and more recently, the past season, the bird has been reported as nesting at Worth in Cook County, not far from the big metropolis on the Lake—Chicago.

Glen Ellyn, Ill.

BENJ. T. GAULT..

A Bohemian Waxwing (Ampelis garrulus) in Ohio.—Dawson says of this bird that there are no Ohio records for many years. Perhaps he bases this on Wheaton's similar statement. In view of this I think it may be of interest to record the following facts.. Two ladies of our household, both bird students, saw and heard, on February 23, a Bohemian Waxwing. It came into the yard near enough to the house for a close observation, so the distinguishing characteristics were well noted. They believe, after hearing its note, that one of them had been about on the Sunday previous. [A few weeks before a small flock of Cedar Waxwings came into a honeysuckle vine by our porch and were about for a short time.]

Judge Metcalfe, of this place, says that a few years ago a number of Bohemian Waxwings were about for several days.

ORANGE COOK.

Chardon, Ohio, April 17, 1909.

The Black-crowned Night Heron in Ohio.—In his "The Birds of Ohio," W. L. Dawson gives the range in Ohio of the Black-crowned Night Heron (Nycticorax nycticorax nævius, Bodd.) as a "Not common resident and migrant. Of local appearance only." I wish to call attention to a restricted locality where it has been seen in considerable numbers. It is along the Great Miami River, near Troy, Miami County, Ohio. The place it most frequents is about two miles southeast of Troy, and is known as Long Pond. This Long Pond is probably an ox-bow loop formation. Immediately below this is a low island which is very difficultly accessible. This whole vicinity is rather secluded, and forms an ideal place for these birds.

Two adults were seen here in September, 1905. An immature female was killed near here on Octiber 11, 1905, by W. A. Haines. It was mounted, and is now in the Troy High School taxidermy collection. About twenty-five birds, mostly immature, were seen here at one time in August, 1906. An immature female was killed here on August 24, 1906, by Raymond Boller. It was mounted, and is now in the collection in the Sidney, Ohio, Public Library. An adult specimen was taken near here in the autumn of 1907. It was mounted, and is now in the Troy High School collection. Other specimens were taken, but these will suffice.

Sidney, Ohio.

G. CLYDE FISHER.